



CENTER ELECTRONIC CORP

# AUTOMOTIVE LIGHTING

[www.centerelectronic.com](http://www.centerelectronic.com)



CENTER ELECTRONIC CORP

# HALOGEN LAMPS

STANDARD

LONG LIFE

SUPER VISION

SUPER VISION ULTRA

XENON WHITE ULTRA

HEAVY DUTY

PS VISION



## STANDARD

### Partner of Carmakers

The best mixture of light output and reliability  
The range which car makers trust on  
Economical bulbs

---



## LONG LIFE

### Reliable Performance

Up to 2 times longer life time than standard bulbs  
Economical, reduces the change intervals  
Environmental friendly due to less replacement

---



## SUPER VISION

### Brighter and Wider Lights on the Road

Up to 20 meters longer beam than standard bulbs  
Up to 50% more light on the road  
Combines high light output and durability

---



## SUPER VISION ULTRA

### Whiter Light Through Special Coating

Up to 40 meters longer beam than standard bulbs  
Up to 80% more light on the road  
Maximum performance with high color temperature  
Special Blue coating deliver white & clear lights

---



## XENON WHITE ULTRA

### Brightest and Whitest Lights

Brilliant white light  
Up to 4000K (similar to daylight)  
Blue Xenon effect in the headlamp  
Light color similar to HID

---





## HEAVY DUTY

### Strong Vibration Resistance


Bulbs with increased vibration resistance  
Has all the advantages of the standard bulb  
Perfect bulb for normal use on bad road conditions  
Reduced down time costs due to less bulb changes

---

| Product                                                                                        | Type | Range | Volt | Watt | Base   | ECE | DOT | INMETRO |
|------------------------------------------------------------------------------------------------|------|-------|------|------|--------|-----|-----|---------|
| <b>H1</b><br> | H1   | STD   | 12   | 55   | P14.5s | ⊙   | ⊙   | ⊙       |
|                                                                                                | H1   | LL    | 12   | 55   | P14.5  | ⊙   | ⊙   |         |
|                                                                                                | H1   | SV    | 12   | 55   | P14.5  | ⊙   | ⊙   |         |
|                                                                                                | H1   | SVU   | 12   | 55   | P14.5  | ⊙   | ⊙   |         |
|                                                                                                | H1   | XWU   | 12   | 55   | P14.5  | ⊙   | ⊙   |         |
|                                                                                                | H1   |       | 12   | 100  | P14.5  |     |     |         |
|                                                                                                | H1   | STD   | 24   | 70   | P14.5  | ⊙   |     | ⊙       |
|                                                                                                | H1   | HD    | 24   | 70   | P14.5  | ⊙   |     |         |
|                                                                                                | H1   | LL    | 24   | 70   | P14.5  | ⊙   |     |         |
|                                                                                                | H1   |       | 24   | 100  | P14.5  | ⊙   |     |         |
|                                                                                                |      |       |      |      |        |     |     |         |

| Product                                                                                          | Type | Range | Volt | Watt | Base  | ECE | DOT | INMETRO |
|--------------------------------------------------------------------------------------------------|------|-------|------|------|-------|-----|-----|---------|
| <b>H3</b><br> | H3   | STD   | 12   | 55   | PK22s | ⊙   | ⊙   | ⊙       |
|                                                                                                  | H3   | LL    | 12   | 55   | PK22s | ⊙   | ⊙   |         |
|                                                                                                  | H3   | SV    | 12   | 55   | PK22s | ⊙   | ⊙   |         |
|                                                                                                  | H3   | SVU   | 12   | 55   | PK22s | ⊙   | ⊙   |         |
|                                                                                                  | H3   | XWU   | 12   | 55   | PK22s | ⊙   | ⊙   |         |
|                                                                                                  | H3   |       | 12   | 100  | PK22s |     |     |         |
|                                                                                                  | H3   | STD   | 24   | 70   | PK22s | ⊙   |     | ⊙       |
|                                                                                                  | H3   | HD    | 24   | 70   | PK22s | ⊙   |     |         |
|                                                                                                  | H3   | LL    | 24   | 70   | PK22s | ⊙   |     |         |
|                                                                                                  | H3   |       | 24   | 100  | PK22s | ⊙   |     |         |
|                                                                                                  |      |       |      |      |       |     |     |         |


# HALOGEN LAMPS

| Product                                                                                        | Type | Range | Volt | Watt    | Base  | ECE | DOT | INMETRO |
|------------------------------------------------------------------------------------------------|------|-------|------|---------|-------|-----|-----|---------|
| <b>H4</b><br> | H4   | STD   | 12   | 60/55   | P43t  | ⊙   |     | ⊙       |
|                                                                                                | H4   | LL    | 12   | 60/55   | P43t  | ⊙   |     |         |
|                                                                                                | H4   | SV    | 12   | 60/55   | P43t  | ⊙   |     |         |
|                                                                                                | H4   | SVU   | 12   | 60/55   | P43t  | ⊙   |     |         |
|                                                                                                | H4   | XWU   | 12   | 60/55   | P43t  | ⊙   |     |         |
|                                                                                                | H4   |       | 12   | 100/90  | P43t  |     |     |         |
|                                                                                                | H4   |       | 12   | 130/100 | P43t  |     |     |         |
|                                                                                                | H4   | STD   | 24   | 75/70   | P43t  | ⊙   |     | ⊙       |
|                                                                                                | H4   | HD    | 24   | 75/70   | P43t  | ⊙   |     |         |
|                                                                                                | H4   | LL    | 24   | 75/70   | P43t  | ⊙   |     |         |
|                                                                                                | H4   |       | 24   | 100/90  | P43t  |     |     |         |
|                                                                                                | H4   |       | 24   | 130/100 | P43t  |     |     |         |
|                                                                                                | HS1  |       | 12   | 35/35   | PX43t | ⊙   |     |         |

| Product                                                                                          | Type | Range | Volt | Watt | Base  | ECE | DOT | INMETRO |
|--------------------------------------------------------------------------------------------------|------|-------|------|------|-------|-----|-----|---------|
| <b>H7</b><br> | H7   | STD   | 12   | 55   | PX26d | ⊙   | ⊙   | ⊙       |
|                                                                                                  | H7   | LL    | 12   | 55   | PX26d | ⊙   | ⊙   |         |
|                                                                                                  | H7   | SV    | 12   | 55   | PX26d | ⊙   | ⊙   |         |
|                                                                                                  | H7   | SVU   | 12   | 55   | PX26d | ⊙   | ⊙   |         |
|                                                                                                  | H7   | XWU   | 12   | 55   | PX26d | ⊙   | ⊙   |         |
|                                                                                                  | H7   |       | 12   | 80   | PX26d |     |     |         |
|                                                                                                  | H7   |       | 12   | 100  | PX26d |     |     |         |
|                                                                                                  | H7   | STD   | 12   | 70   | PX26d | ⊙   |     | ⊙       |
|                                                                                                  | H7   | HD    | 24   | 70   | PX26d | ⊙   |     |         |
|                                                                                                  | H7   | LL    | 24   | 70   | PX26d | ⊙   |     |         |
|                                                                                                  | H7   |       | 24   | 100  | PX26d |     |     |         |

| Product                                                                                                                                                                                | Type | Range | Volt | Watt | Base    | ECE | DOT | INMETRO |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------|------|------|---------|-----|-----|---------|
| <b>H8 / H11</b><br>  | H8   | STD   | 12   | 35   | PGJ19-1 | ⊙   | ⊙   |         |
|                                                                                                                                                                                        | H8   | LL    | 12   | 35   | PGJ19-1 | ⊙   | ⊙   |         |
|                                                                                                                                                                                        | H8   | SV    | 12   | 35   | PGJ19-1 | ⊙   | ⊙   |         |
|                                                                                                                                                                                        | H8   | SVU   | 12   | 35   | PGJ19-1 | ⊙   | ⊙   |         |
|                                                                                                                                                                                        | H8   | XWU   | 12   | 35   | PGJ19-1 | ⊙   | ⊙   |         |
|                                                                                                                                                                                        | H8   |       | 12   | 55   | PGJ19-1 |     |     |         |
|                                                                                                                                                                                        | H11  | STD   | 12   | 55   | PGJ19-2 | ⊙   | ⊙   |         |
|                                                                                                                                                                                        | H11  | LL    | 12   | 55   | PGJ19-2 | ⊙   | ⊙   |         |
|                                                                                                                                                                                        | H11  | SV    | 12   | 55   | PGJ19-2 | ⊙   | ⊙   |         |
|                                                                                                                                                                                        | H11  | SVU   | 12   | 55   | PGJ19-2 | ⊙   | ⊙   |         |
|                                                                                                                                                                                        | H11  | XWU   | 12   | 55   | PGJ19-2 | ⊙   | ⊙   |         |
|                                                                                                                                                                                        | H11  |       | 12   | 80   | PGJ19-2 |     |     |         |
|                                                                                                                                                                                        | H11  | STD   | 24   | 70   | PGJ19-2 | ⊙   |     |         |
|                                                                                                                                                                                        | H11  | HD    | 24   | 70   | PGJ19-2 | ⊙   |     |         |
|                                                                                                                                                                                        | H11  | HD    | 24   | 70   | PGJ19-2 | ⊙   |     |         |

| Product                                                                                                | Type | Range | Volt | Watt | Base     | ECE | DOT | INMETRO |
|--------------------------------------------------------------------------------------------------------|------|-------|------|------|----------|-----|-----|---------|
| <b>H8B / H11B</b><br> | H8B  | STD   | 12   | 35   | PGJY19-1 | ⊙   | ⊙   |         |
|                                                                                                        | H8B  | LL    | 12   | 35   | PGJY19-1 | ⊙   | ⊙   |         |
|                                                                                                        | H8B  | SV    | 12   | 35   | PGJY19-1 | ⊙   | ⊙   |         |
|                                                                                                        | H8B  | SVU   | 12   | 35   | PGJY19-1 | ⊙   | ⊙   |         |
|                                                                                                        | H8B  | XWU   | 12   | 35   | PGJY19-1 | ⊙   | ⊙   |         |
|                                                                                                        | H8B  |       | 12   | 55   | PGJY19-1 |     |     |         |
|                                                                                                        | H11B | STD   | 12   | 55   | PGJY19-2 | ⊙   | ⊙   |         |
|                                                                                                        | H11B | LL    | 12   | 55   | PGJY19-2 | ⊙   | ⊙   |         |
|                                                                                                        | H11B | SV    | 12   | 55   | PGJY19-2 | ⊙   | ⊙   |         |
|                                                                                                        | H11B | SVU   | 12   | 55   | PGJY19-2 | ⊙   | ⊙   |         |
|                                                                                                        | H11B | XWU   | 12   | 55   | PGJY19-2 | ⊙   | ⊙   |         |
|                                                                                                        | H11B |       | 12   | 55   | PGJY19-2 |     |     |         |

| Product                                                                                          | Type | Range | Volt | Watt | Base    | ECE | DOT | INMETRO |
|--------------------------------------------------------------------------------------------------|------|-------|------|------|---------|-----|-----|---------|
| <b>H9</b><br> | H9   | STD   | 12   | 65   | PGJ19-5 | ⊙   | ⊙   |         |
|                                                                                                  | H9   | LL    | 12   | 65   | PGJ19-5 | ⊙   | ⊙   |         |
|                                                                                                  | H9   | SV    | 12   | 65   | PGJ19-5 | ⊙   | ⊙   |         |
|                                                                                                  | H9   | SVU   | 12   | 65   | PGJ19-5 | ⊙   | ⊙   |         |
|                                                                                                  | H9   | XWU   | 12   | 65   | PGJ19-5 | ⊙   | ⊙   |         |
|                                                                                                  | H9   |       | 12   | 100  | PGJ19-5 |     |     |         |

| Product                                                                                              | Type     | Range | Volt | Watt | Base     | ECE | DOT | INMETRO |
|------------------------------------------------------------------------------------------------------|----------|-------|------|------|----------|-----|-----|---------|
| <b>H10 9145</b><br> | H10 9145 | STD   | 12   | 42   | PY20d    | ⊙   |     |         |
|                                                                                                      | H10 9145 | SV    | 12   | 42   | PY20d    | ⊙   |     |         |
|                                                                                                      | H10 9145 | SVU   | 12   | 42   | PY20d    | ⊙   |     |         |
|                                                                                                      | H10 9145 | XWU   | 12   | 42   | PY20d    |     |     |         |
|                                                                                                      | 9140     |       | 12   | 40   | P20d/40A |     |     |         |
|                                                                                                      | 9155     |       | 12   | 55   | P20d/55A |     |     |         |

| Product                                                                                              | Type     | Range | Volt | Watt | Base     | ECE | DOT | INMETRO |
|------------------------------------------------------------------------------------------------------|----------|-------|------|------|----------|-----|-----|---------|
| <b>H12 9055</b><br> | H12 9055 | STD   | 12   | 53   | PZ20d    | ⊙   |     |         |
|                                                                                                      | 9040     |       | 12   | 40   | P20d/40T |     |     |         |
|                                                                                                      | 9045     |       | 12   | 45   | P20d/45T |     |     |         |

| Product                                                                                                | Type     | Range | Volt | Watt   | Base   | ECE | DOT | INMETRO |
|--------------------------------------------------------------------------------------------------------|----------|-------|------|--------|--------|-----|-----|---------|
| <b>H13 9008</b><br> | H13 9008 | STD   | 12   | 60/55  | P26.4t | ⊙   | ⊙   |         |
|                                                                                                        | H13 9008 | LL    | 12   | 60/55  | P26.4t | ⊙   | ⊙   |         |
|                                                                                                        | H13 9008 | SV    | 12   | 60/55  | P26.4t | ⊙   | ⊙   |         |
|                                                                                                        | H13 9008 | SVU   | 12   | 60/55  | P26.4t | ⊙   | ⊙   |         |
|                                                                                                        | H13 9008 | XWU   | 12   | 60/55  | P26.4t | ⊙   | ⊙   |         |
|                                                                                                        | H13 9008 |       | 12   | 100/80 | P26.4t |     |     |         |


| Product                                                                                                | Type    | Range | Volt | Watt   | Base | ECE | DOT | INMETRO |
|--------------------------------------------------------------------------------------------------------|---------|-------|------|--------|------|-----|-----|---------|
| <b>HB1 9004</b><br> | HB19004 | STD   | 12   | 60/55  | P29t |     | ⊙   | ⊙       |
|                                                                                                        | HB19004 | LL    | 12   | 60/55  | P29t |     | ⊙   |         |
|                                                                                                        | HB19004 | SV    | 12   | 60/55  | P29t |     | ⊙   |         |
|                                                                                                        | HB19004 | SVU   | 12   | 60/55  | P29t |     | ⊙   |         |
|                                                                                                        | HB19004 | XWU   | 12   | 60/55  | P29t |     | ⊙   |         |
|                                                                                                        | HB19004 |       | 12   | 100/80 | P29t |     |     |         |

# HALOGEN LAMPS

| Product                                                                                              | Type     | Range | Volt | Watt  | Base | ECE | DOT | INMETRO |
|------------------------------------------------------------------------------------------------------|----------|-------|------|-------|------|-----|-----|---------|
| <b>HB2 9003</b><br> | HB2 9003 | STD   | 12   | 60/55 | P43t |     | ⊙   |         |
|                                                                                                      | HB2 9003 | LL    | 12   | 60/55 | P43t |     | ⊙   |         |
|                                                                                                      | HB2 9003 | SV    | 12   | 60/55 | P43t |     | ⊙   |         |
|                                                                                                      | HB2 9003 | SVU   | 12   | 60/55 | P43t |     | ⊙   |         |
|                                                                                                      | HB2 9003 | XWU   | 12   | 60/55 | P43t |     | ⊙   |         |


| Product                                                                                              | Type     | Range | Volt | Watt  | Base | ECE | DOT | INMETRO |
|------------------------------------------------------------------------------------------------------|----------|-------|------|-------|------|-----|-----|---------|
| <b>HB3 9005</b><br> | HB3 9005 | STD   | 12   | 60/55 | P20d | ⊙   | ⊙   | ⊙       |
|                                                                                                      | HB3 9005 | LL    | 12   | 60/55 | P20d | ⊙   | ⊙   |         |
|                                                                                                      | HB3 9005 | SV    | 12   | 60/55 | P20d | ⊙   | ⊙   |         |
|                                                                                                      | HB3 9005 | SVU   | 12   | 60/55 | P20d | ⊙   | ⊙   |         |
|                                                                                                      | HB3 9005 | XWU   | 12   | 60/55 | P20d | ⊙   | ⊙   |         |
|                                                                                                      | HB3 9005 |       | 12   | 100   | P20d |     |     |         |

| Product                                                                                                   | Type   | Range | Volt | Watt | Base | ECE | DOT | INMETRO |
|-----------------------------------------------------------------------------------------------------------|--------|-------|------|------|------|-----|-----|---------|
| <b>HB3A 9005XS</b><br> | 9005XS | STD   | 12   | 60   | P20d | ⊙   | ⊙   | ⊙       |
|                                                                                                           | 9005XS | LL    | 12   | 60   | P20d | ⊙   | ⊙   |         |
|                                                                                                           | 9005XS | SV    | 12   | 60   | P20d | ⊙   | ⊙   |         |
|                                                                                                           | 9005XS | SVU   | 12   | 60   | P20d | ⊙   | ⊙   |         |
|                                                                                                           | 9005XS | XWU   | 12   | 60   | P20d | ⊙   | ⊙   |         |
|                                                                                                           | 9005XS |       | 12   | 100  | P20d |     |     |         |

| Product                                                                                              | Type     | Range | Volt | Watt | Base | ECE | DOT | INMETRO |
|------------------------------------------------------------------------------------------------------|----------|-------|------|------|------|-----|-----|---------|
| <b>HB4 9006</b><br> | HB4 9006 | STD   | 12   | 51   | P22d | ⊙   | ⊙   | ⊙       |
|                                                                                                      | HB4 9006 | LL    | 12   | 51   | P22d | ⊙   | ⊙   |         |
|                                                                                                      | HB4 9006 | SV    | 12   | 51   | P22d | ⊙   | ⊙   |         |
|                                                                                                      | HB4 9006 | SVU   | 12   | 51   | P22d | ⊙   | ⊙   |         |
|                                                                                                      | HB4 9006 | XWU   | 12   | 51   | P22d | ⊙   | ⊙   |         |
|                                                                                                      | HB4 9006 |       | 12   | 80   | P22d |     |     |         |

| Product                                                                                                 | Type   | Range | Volt | Watt | Base | ECE | DOT | INMETRO |
|---------------------------------------------------------------------------------------------------------|--------|-------|------|------|------|-----|-----|---------|
| <b>HB4A 9006XS</b><br> | 9006XS | STD   | 12   | 51   | P22d | ⊙   | ⊙   | ⊙       |
|                                                                                                         | 9006XS | LL    | 12   | 51   | P22d | ⊙   | ⊙   |         |
|                                                                                                         | 9006XS | SV    | 12   | 51   | P22d | ⊙   | ⊙   |         |
|                                                                                                         | 9006XS | SVU   | 12   | 51   | P22d | ⊙   | ⊙   |         |
|                                                                                                         | 9006XS | XWU   | 12   | 51   | P22d | ⊙   | ⊙   |         |
|                                                                                                         | 9006XS |       | 12   | 80   | P22d | ⊙   | ⊙   |         |

| Product                                                                                                | Type     | Range | Volt | Watt  | Base  | ECE | DOT | INMETRO |
|--------------------------------------------------------------------------------------------------------|----------|-------|------|-------|-------|-----|-----|---------|
| <b>HB5 9007</b><br> | HB5 9007 | STD   | 12   | 65/55 | PX29t |     | ⊙   |         |
|                                                                                                        | HB5 9007 | LL    | 12   | 65/55 | PX29t |     | ⊙   |         |
|                                                                                                        | HB5 9007 | SV    | 12   | 65/55 | PX29t |     | ⊙   |         |
|                                                                                                        | HB5 9007 | SVU   | 12   | 65/55 | PX29t |     | ⊙   |         |
|                                                                                                        | HB5 9007 | XWU   | 12   | 65/55 | PX29t |     | ⊙   |         |
|                                                                                                        | HB5 9007 |       | 12   | 65/55 | PX29t |     |     |         |

| Product                                                                                                 | Type      | Range | Volt | Watt | Base  | ECE | DOT | INMETRO |
|---------------------------------------------------------------------------------------------------------|-----------|-------|------|------|-------|-----|-----|---------|
| <b>HIR2 9012</b><br> | HIR2 9012 | LL    | 12   | 55   | PX22d | ⊙   | ⊙   |         |

| Product                                                                                                | Type | Range | Volt | Watt | Base | ECE | DOT | INMETRO |
|--------------------------------------------------------------------------------------------------------|------|-------|------|------|------|-----|-----|---------|
| <b>H27W/1 880</b><br> | 880  | STD   | 12   | 27   | PG13 | ⊙   |     |         |
|                                                                                                        | 880  | LL    | 12   | 27   | PG13 | ⊙   |     |         |
|                                                                                                        | 880  | SV    | 12   | 27   | PG13 | ⊙   |     |         |
|                                                                                                        | 880  | SVU   | 12   | 27   | PG13 | ⊙   |     |         |
|                                                                                                        | 880  | XWU   | 12   | 27   | PG13 | ⊙   |     |         |

| Product                                                                                                | Type | Range | Volt | Watt | Base  | ECE | DOT | INMETRO |
|--------------------------------------------------------------------------------------------------------|------|-------|------|------|-------|-----|-----|---------|
| <b>H27W/2 881</b><br> | 881  | STD   | 12   | 27   | PGJ13 | ⊙   |     |         |
|                                                                                                        | 881  | LL    | 12   | 27   | PGJ13 | ⊙   |     |         |
|                                                                                                        | 881  | SV    | 12   | 27   | PGJ13 | ⊙   |     |         |
|                                                                                                        | 881  | SVU   | 12   | 27   | PGJ13 | ⊙   |     |         |
|                                                                                                        | 881  | XWU   | 12   | 27   | PGJ13 | ⊙   |     |         |

| Product                                                                                                       | Type | Range | Volt | Watt | Base  | ECE | DOT | INMETRO |
|---------------------------------------------------------------------------------------------------------------|------|-------|------|------|-------|-----|-----|---------|
| <b>H6W</b> <b>HY6W</b><br> | H6W  | CLEAR | 12   | 6    | BAX9s | ⊙   |     |         |
|                                                                                                               | HY6W | AMBER | 12   | 6    | BAX9s |     |     |         |

| Product                                                                                                         | Type  | Range | Volt | Watt | Base  | ECE | DOT | INMETRO |
|-----------------------------------------------------------------------------------------------------------------|-------|-------|------|------|-------|-----|-----|---------|
| <b>H21W</b> <b>HY21W</b><br> | H21W  | CLEAR | 12   | 21   | BAY9s | ⊙   |     |         |
|                                                                                                                 | H21W  | CLEAR | 24   | 21   | BAY9s | ⊙   |     |         |
|                                                                                                                 | HY21W | AMBER | 12   | 21   | BAY9s |     |     |         |
|                                                                                                                 | HY21W | AMBER | 24   | 21   | BAY9s |     |     |         |

# HALOGEN LAMPS

| Product                                                                             | Type   | Range  | Volt | Watt | Base         | ECE | DOT | INMETRO |
|-------------------------------------------------------------------------------------|--------|--------|------|------|--------------|-----|-----|---------|
|    | PI3W   | CLEAR  | 12   | 13   | PG18.5d-1    | ⊙   |     |         |
|    | PS19W  | CLEAR  | 12   | 19   | PG20/1       | ⊙   |     |         |
|    | PS24W  | CLEAR  | 12   | 24   | PG20/3       | ⊙   |     |         |
|   | PSX24W | CLEAR  | 12   | 24   | PG20/7       | ⊙   |     |         |
|  | PSY24W | AMBER  | 12   | 24   | PG20/4       | ⊙   |     |         |
|  | PSY24W | SILVER | 12   | 24   | PG20/4       | ⊙   |     |         |
|  | PWY24W | AMBER  | 12   | 24   | WP3.3×14.5/4 |     |     |         |
|  | PWY24W | SILVER | 12   | 24   | WP3.3×14.5/4 |     |     |         |



CENTER ELECTRONIC CORP

# MINIATURE LAMPS

STANDARD SERIES

BLUE STAR SERIES

CHROME SERIES

MOTORCYCLE SERIES

## Standard Series

| Product                                                                                         | Type | Range | Volt | Watt | Base  | ECE | DOT | INMETRO |
|-------------------------------------------------------------------------------------------------|------|-------|------|------|-------|-----|-----|---------|
| <b>S25</b><br> | P21W | STD   | 12   | 21   | BA15s | ⊙   | ⊙   | ⊙       |
|                                                                                                 | P21W | LL    | 12   | 21   | BA15s | ⊙   | ⊙   | ⊙       |
|                                                                                                 | P21W | CA    | 12   | 21   | BA15s |     | ⊙   |         |
|                                                                                                 | P21W | NA    | 12   | 21   | BA15s |     | ⊙   |         |
|                                                                                                 | P21W | HD    | 12   | 21   | BA15s | ⊙   | ⊙   | ⊙       |
|                                                                                                 | P21W | HD LL | 12   | 21   | BA15s | ⊙   | ⊙   | ⊙       |
|                                                                                                 | P21W | STD   | 24   | 21   | BA15s | ⊙   | ⊙   | ⊙       |
|                                                                                                 | P21W | CA    | 24   | 21   | BA15s |     | ⊙   |         |
|                                                                                                 | P21W | NA    | 24   | 21   | BA15s |     | ⊙   |         |
|                                                                                                 | P21W | HD    | 24   | 21   | BA15s | ⊙   | ⊙   | ⊙       |
|                                                                                                 | P21W | HD LL | 24   | 21   | BA15s | ⊙   | ⊙   | ⊙       |
|                                                                                                 |      |       |      |      |       |     |     |         |

| Product                                                                                           | Type  | Range | Volt | Watt | Base   | ECE | DOT | INMETRO |
|---------------------------------------------------------------------------------------------------|-------|-------|------|------|--------|-----|-----|---------|
| <b>S25</b><br> | PY21W | CA    | 12   | 21   | BAU15s | ⊙   | ⊙   | ⊙       |
|                                                                                                   | PY21W | NA    | 12   | 21   | BAU15s | ⊙   | ⊙   | ⊙       |
|                                                                                                   | PY21W | CALL  | 12   | 21   | BAU15s | ⊙   | ⊙   | ⊙       |
|                                                                                                   | PY21W | NALL  | 12   | 21   | BAU15s | ⊙   | ⊙   | ⊙       |
|                                                                                                   | PY21W | CA    | 24   | 21   | BAU15s | ⊙   | ⊙   | ⊙       |
|                                                                                                   | PY21W | NA    | 24   | 21   | BAU15s | ⊙   | ⊙   | ⊙       |
|                                                                                                   | PY21W | HD    | 24   | 21   | BAU15s | ⊙   | ⊙   | ⊙       |

| Product                                                                                         | Type   | Range | Volt | Watt | Base   | ECE | DOT | INMETRO |
|-------------------------------------------------------------------------------------------------|--------|-------|------|------|--------|-----|-----|---------|
| <b>S25</b><br> | P21/5W | STD   | 12   | 21/5 | BAY15d | ⊙   | ⊙   | ⊙       |
|                                                                                                 | P21/5W | LL    | 12   | 21/5 | BAY15d | ⊙   | ⊙   | ⊙       |
|                                                                                                 | P21/5W | HD    | 12   | 21/5 | BAY15d | ⊙   | ⊙   | ⊙       |
|                                                                                                 | P21/5W | STD   | 24   | 21/5 | BAY15d | ⊙   | ⊙   | ⊙       |
|                                                                                                 | P21/5W | HD    | 24   | 21/5 | BAY15d | ⊙   | ⊙   | ⊙       |
|                                                                                                 | P21/4W | STD   | 12   | 21/4 | BAZ15d | ⊙   | ⊙   | ⊙       |
|                                                                                                 | P21/4W | LL    | 12   | 21/4 | BAZ15d | ⊙   | ⊙   | ⊙       |

| Product                                                                                          | Type    | Range | Volt | Watt  | Base   | ECE | DOT | INMETRO |
|--------------------------------------------------------------------------------------------------|---------|-------|------|-------|--------|-----|-----|---------|
| <b>S25</b><br> | PR21W   | RED   | 12   | 21    | BAW15s | ⊙   |     |         |
|                                                                                                  | PR21/5W | RED   | 12   | 21/5W | BAW15d | ⊙   |     |         |

| Product                                                                                                 | Type | Range | Volt | Watt | Base     | ECE | DOT | INMETRO |
|---------------------------------------------------------------------------------------------------------|------|-------|------|------|----------|-----|-----|---------|
| <b>S25 Wedge</b><br> | P27W | STD   | 12   | 27   | W2.5x16d | ⊙   | ⊙   |         |
|                                                                                                         | P27W | LL    | 12   | 27   | W2.5x16d | ⊙   | ⊙   |         |

| Product                                                                                                 | Type   | Range | Volt | Watt   | Base     | ECE | DOT | INMETRO |
|---------------------------------------------------------------------------------------------------------|--------|-------|------|--------|----------|-----|-----|---------|
| <b>S25 Wedge</b><br> | P27/7W | STD   | 12   | P27/7W | W2.5x16q | ⊙   | ⊙   |         |
|                                                                                                         | P27/7W | LL    | 12   | P27/7W | W2.5x16q | ⊙   | ⊙   |         |

| Product | Type | Range | Volt | Watt | Base | ECE | DOT | INMETRO |
|---------|------|-------|------|------|------|-----|-----|---------|
|---------|------|-------|------|------|------|-----|-----|---------|


## S25 Wedge



|         |     |    |      |           |   |   |
|---------|-----|----|------|-----------|---|---|
| PY27/7W | STD | 12 | 27/7 | WX2.5x16q | ⊙ | ⊙ |
| PY27/7W | LL  | 12 | 27/7 | WX2.5x16q | ⊙ | ⊙ |

| Product | Type | Range | Volt | Watt | Base | ECE | DOT | INMETRO |
|---------|------|-------|------|------|------|-----|-----|---------|
|---------|------|-------|------|------|------|-----|-----|---------|


## T5 Wedge



|          |     |    |     |         |   |   |
|----------|-----|----|-----|---------|---|---|
| T5 wedge | STD | 12 | 1.2 | W2x4.6d | ⊙ | ⊙ |
| T5 wedge | STD | 12 | 2   | W2x4.6d | ⊙ |   |
| W2.3W    | STD | 12 | 2.3 | W2x4.6d | ⊙ | ⊙ |
| T5 wedge | STD | 12 | 1.5 | W2x4.6d | ⊙ |   |
| T5 wedge | STD | 24 | 1.2 | W2x4.6d | ⊙ |   |

| Product | Type | Range | Volt | Watt | Base | ECE | DOT | INMETRO |
|---------|------|-------|------|------|------|-----|-----|---------|
|---------|------|-------|------|------|------|-----|-----|---------|


## T6.5



|      |     |    |     |      |  |  |  |  |
|------|-----|----|-----|------|--|--|--|--|
| T6.5 | STD | 6  | 0.6 | BA7s |  |  |  |  |
| T6.5 | STD | 6  | 1.2 | BA7s |  |  |  |  |
| T6.5 | STD | 12 | 2   | BA7s |  |  |  |  |
| T6.5 | STD | 24 | 3   | BA7s |  |  |  |  |


| Product | Type | Range | Volt | Watt | Base | ECE | DOT | INMETRO |
|---------|------|-------|------|------|------|-----|-----|---------|
|---------|------|-------|------|------|------|-----|-----|---------|


## T8.8





|       |     |    |   |      |   |  |  |   |
|-------|-----|----|---|------|---|--|--|---|
| T8.8  | STD | 12 | 2 | BA9s |   |  |  |   |
| T8.8  | STD | 24 | 2 | BA9s |   |  |  |   |
| T8.8  | STD | 12 | 5 | BA9s |   |  |  |   |
| T4W   | STD | 6  | 4 | BA9s |   |  |  | ⊙ |
| T4W   | STD | 12 | 4 | BA9s | ⊙ |  |  | ⊙ |
| T4WLL | LL  | 12 | 4 | BA9s | ⊙ |  |  | ⊙ |
| T8.8  | STD | 12 | 3 | BA9s |   |  |  |   |
| T8.8  | STD | 6  | 2 | BA9s |   |  |  |   |
| T4W   | STD | 24 | 4 | BA9s | ⊙ |  |  | ⊙ |


| Product                                                                                         | Type  | Range | Volt | Watt | Base   | ECE | DOT | INMETRO |
|-------------------------------------------------------------------------------------------------|-------|-------|------|------|--------|-----|-----|---------|
| <b>T16</b><br> | R5W   | STD   | 12   | 5    | BA15s  | ⊙   | ⊙   | ⊙       |
|                                                                                                 | R5W   | LL    | 12   | 5    | BA15s  | ⊙   | ⊙   | ⊙       |
|                                                                                                 | R5W   | HD    | 12   | 5    | BA15s  | ⊙   | ⊙   | ⊙       |
|                                                                                                 | R10W  | STD   | 12   | 10   | BA15s  | ⊙   | ⊙   | ⊙       |
|                                                                                                 | R10W  | LL    | 12   | 10   | BA15s  | ⊙   | ⊙   | ⊙       |
|                                                                                                 | R10W  | HD    | 12   | 10   | BA15s  | ⊙   | ⊙   | ⊙       |
|                                                                                                 | R5W   | STD   | 12   | 5    | BA15d  | ⊙   | ⊙   | ⊙       |
|                                                                                                 | R5W   | STD   | 24   | 5    | BA15S  | ⊙   | ⊙   | ⊙       |
|                                                                                                 | R5W   | STD   | 24   | 5    | BA15d  | ⊙   | ⊙   | ⊙       |
|                                                                                                 | R10W  | STD   | 24   | 10   | BA15s  | ⊙   | ⊙   | ⊙       |
|                                                                                                 | RY10W | AMBER | 12   | 10   | BAU15s | ⊙   | ⊙   |         |


| Product                                                                                                 | Type      | Range | Volt | Watt | Base      | ECE | DOT | INMETRO |
|---------------------------------------------------------------------------------------------------------|-----------|-------|------|------|-----------|-----|-----|---------|
| <b>T10 Wedge</b><br> | T10 wedge | STD   | 12   | 3    | W2.1x9.5d |     | ⊙   | ⊙       |
|                                                                                                         | W3W       | STD   | 12   | 3    | W2.1x9.5d | ⊙   | ⊙   | ⊙       |
|                                                                                                         | W5W       | STD   | 12   | 5    | W2.1x9.5d | ⊙   | ⊙   | ⊙       |
|                                                                                                         | W5W LL    | LL    | 12   | 5    | W2.1x9.5d | ⊙   | ⊙   | ⊙       |
|                                                                                                         | T10 wedge | STD   | 24   | 2    | W2.1x9.5d |     | ⊙   |         |
|                                                                                                         | W3W       | STD   | 24   | 3    | W2.1x9.5d | ⊙   | ⊙   | ⊙       |
|                                                                                                         | W5W       | STD   | 24   | 5    | W2.1x9.5d | ⊙   | ⊙   |         |
|                                                                                                         | T10 wedge | STD   | 12   | 6    | W2.1x9.5d |     | ⊙   |         |


| Product                                                                                                 | Type    | Range    | Volt | Watt | Base      | ECE | DOT | INMETRO |
|---------------------------------------------------------------------------------------------------------|---------|----------|------|------|-----------|-----|-----|---------|
| <b>T10 Wedge</b><br> | WY5W    | AMBER    | 12   | 5    | W2.1x9.5d | ⊙   | ⊙   |         |
|                                                                                                         | WY5W LL | AMBER LL | 12   | 5    | W2.1x9.5d | ⊙   | ⊙   |         |

| Product                                                                                               | Type | Range | Volt | Watt | Base      | ECE | DOT | INMETRO |
|-------------------------------------------------------------------------------------------------------|------|-------|------|------|-----------|-----|-----|---------|
| <b>T15 Wedge</b><br> | W16W | STD   | 12   | 16   | W2.1x9.5d | ⊙   | ⊙   |         |

| Product                                                                                               | Type  | Range | Volt | Watt | Base      | ECE | DOT | INMETRO |
|-------------------------------------------------------------------------------------------------------|-------|-------|------|------|-----------|-----|-----|---------|
| <b>T15 Wedge</b><br> | WY16W | AMBER | 12   | 16   | W2.1x9.5d | ⊙   | ⊙   |         |

| Product                                                                                                | Type | Range | Volt | Watt | Base   | ECE | DOT | INMETRO |
|--------------------------------------------------------------------------------------------------------|------|-------|------|------|--------|-----|-----|---------|
| <b>T20 Wedge</b><br> | W21W | STD   | 12   | 21   | W3x16d | ⊙   | ⊙   |         |
|                                                                                                        | W21W | LL    | 12   | 21   | W3x16d | ⊙   | ⊙   |         |

| Product                                                                                                 | Type     | Range    | Volt | Watt | Base    | ECE | DOT | INMETRO |
|---------------------------------------------------------------------------------------------------------|----------|----------|------|------|---------|-----|-----|---------|
| <b>T20 Wedge</b><br> | WY21W    | AMBER    | 12   | 21   | WX3x16d | ⊙   | ⊙   |         |
|                                                                                                         | WY21W LL | AMBER LL | 12   | 21   | WX3x16d | ⊙   | ⊙   |         |

| Product                                                                                                 | Type   | Range | Volt | Watt | Base   | ECE | DOT | INMETRO |
|---------------------------------------------------------------------------------------------------------|--------|-------|------|------|--------|-----|-----|---------|
| <b>T20 Wedge</b><br> | W21/5W | STD   | 12   | 21/5 | W3x16q | ⊙   | ⊙   |         |
|                                                                                                         | W21/5W | LL    | 12   | 21/5 | W3x16q | ⊙   | ⊙   |         |

| Product | Type | Range | Volt | Watt | Base | ECE | DOT | INMETRO |
|---------|------|-------|------|------|------|-----|-----|---------|
|---------|------|-------|------|------|------|-----|-----|---------|


## Festoon



|        |     |    |   |       |  |  |   |  |
|--------|-----|----|---|-------|--|--|---|--|
| 8x28mm | STD | 12 | 3 | SV7-8 |  |  | ⊙ |  |
| 8x28mm | STD | 24 | 3 | SV7-8 |  |  | ⊙ |  |

| Product | Type | Range | Volt | Watt | Base | ECE | DOT | INMETRO |
|---------|------|-------|------|------|------|-----|-----|---------|
|---------|------|-------|------|------|------|-----|-----|---------|

## Festoon



|         |  |    |    |         |  |  |   |  |
|---------|--|----|----|---------|--|--|---|--|
| 10x31mm |  | 12 | 10 | SV8.5-8 |  |  | ⊙ |  |
|---------|--|----|----|---------|--|--|---|--|

| Product | Type | Range | Volt | Watt | Base | ECE | DOT | INMETRO |
|---------|------|-------|------|------|------|-----|-----|---------|
|---------|------|-------|------|------|------|-----|-----|---------|

## Festoon



|         |       |    |    |         |   |   |   |  |
|---------|-------|----|----|---------|---|---|---|--|
| 10x35mm | C5W   | 12 | 5  | SV8.5-8 | ⊙ | ⊙ | ⊙ |  |
| 10x35mm | C5WLL | 12 | 5  | SV8.5-8 | ⊙ | ⊙ | ⊙ |  |
| 10x35mm | C5W   | 24 | 5  | SV8.5-8 | ⊙ | ⊙ | ⊙ |  |
| 10x35mm | C5WLL | 24 | 5  | SV8.5-8 | ⊙ | ⊙ | ⊙ |  |
| 10x35mm |       | 12 | 10 | SV8.5-8 |   |   | ⊙ |  |

| Product | Type | Range | Volt | Watt | Base | ECE | DOT | INMETRO |
|---------|------|-------|------|------|------|-----|-----|---------|
|---------|------|-------|------|------|------|-----|-----|---------|

## Festoon



|         |  |    |    |         |  |  |   |  |
|---------|--|----|----|---------|--|--|---|--|
| 10x41mm |  | 12 | 10 | SV8.5-8 |  |  | ⊙ |  |
| 10x41mm |  | 12 | 5  | SV8.5-8 |  |  | ⊙ |  |
| 10x41mm |  | 24 | 10 | SV8.5-8 |  |  | ⊙ |  |
| 10x41mm |  | 24 | 5  | SV8.5-8 |  |  | ⊙ |  |

| Product                                                                                             | Type    | Range | Volt | Watt | Base    | ECE | DOT | INMETRO |
|-----------------------------------------------------------------------------------------------------|---------|-------|------|------|---------|-----|-----|---------|
| <b>Festoon</b><br> | 15x41mm |       | 12   | 15   | SV8.5-8 |     | ⊙   |         |
|                                                                                                     | 15x41mm |       | 24   | 15   | SV8.5-8 |     | ⊙   |         |
|                                                                                                     | 15x41mm |       | 12   | 18   | SV8.5-8 |     | ⊙   |         |
|                                                                                                     | 15x41mm |       | 24   | 18   | SV8.5-8 |     | ⊙   |         |
|                                                                                                     | 15x41mm | C21W  | 12   | 21   | SV8.5-8 | ⊙   | ⊙   | ⊙       |

| Product                                                                                        | Type | Base color | Volt | Watt | Base   | ECE | DOT | INMETRO |
|------------------------------------------------------------------------------------------------|------|------------|------|------|--------|-----|-----|---------|
| <b>PB</b><br> | PB   | Black      | 12   | 1.2  | B8.5d  |     | ⊙   |         |
|                                                                                                | PB   | Green      | 12   | 2    | B8.5d  |     | ⊙   |         |
|                                                                                                | PB   | Grey       | 24   | 1.2  | B8.5d  |     | ⊙   |         |
|                                                                                                | PB   | Black      | 12   | 1.5  | B8.5d  |     | ⊙   |         |
|                                                                                                | PB   | Green      | 12   | 2    | BX8.4d |     | ⊙   |         |
|                                                                                                | PB   | Green      | 12   | 1.3  | BX8.4d |     | ⊙   |         |
|                                                                                                | PB   | Black      | 12   | 1.5  | BX8.4d |     | ⊙   |         |
|                                                                                                | PB   | Black      | 12   | 1.2  | B8.3d  |     | ⊙   |         |
|                                                                                                | PB   | Black      | 12   | 2    | B8.3d  |     | ⊙   |         |
|                                                                                                | PB   | Grey       | 24   | 1.2  | B8.3d  |     | ⊙   |         |
|                                                                                                | PB   | Grey       | 12   | 1.2  | B8.7d  |     | ⊙   |         |

## Blue Star Series

### Performance Range

| Product                                                                           | Part no.  | Type    | Volt | Watt | Base      | ECE | DOT | INMETRO |
|-----------------------------------------------------------------------------------|-----------|---------|------|------|-----------|-----|-----|---------|
|  | 7440ST-SB | T20     | 12   | 21   | W3x16d    |     | ⊙   |         |
|                                                                                   | 7443ST-SB | T20     | 12   | 21/5 | W3x16q    |     | ⊙   |         |
|                                                                                   | 1156ST-SB | S25     | 12.8 | 27   | BA15s     |     | ⊙   |         |
|                                                                                   | 7506ST-SB | S25     | 12   | 21   | BA15s     |     | ⊙   |         |
|                                                                                   | 1157ST-SB | S25     | 12.8 | 27/8 | BAY15d    |     | ⊙   |         |
|                                                                                   | 2057ST-SB | S25     | 12.8 | 27/7 | BAY15d    |     | ⊙   |         |
|                                                                                   | 3156ST-SB | S25     | 12.8 | 27   | W2.5x16d  |     | ⊙   |         |
|                                                                                   | 3157ST-SB | S25     | 12.8 | 27/8 | W2.5x16q  |     | ⊙   |         |
|                                                                                   | 168ST-SB  | T10     | 12   | 5    | W2.1x9.5d |     | ⊙   |         |
|                                                                                   | 194ST-SB  | T10     | 12   | 3.8  | W2.1x9.5d |     | ⊙   |         |
|                                                                                   | 2825ST-SB | T10     | 12   | 5    | W2.1x9.5d |     | ⊙   |         |
|                                                                                   | 921ST-SB  | T15     | 12   | 16   | W2.1x9.5d |     | ⊙   |         |
|                                                                                   | 3175ST-SB | FESTOON | 12   | 10   | SV8.5-8   |     | ⊙   |         |


## Chrome Series

### Performance Range

| Product                                                                             | Part no. | Type  | Volt | Watt | Base      | ECE | DOT | INMETRO |
|-------------------------------------------------------------------------------------|----------|-------|------|------|-----------|-----|-----|---------|
|  | 2827DC   | WY5W  | 12   | 5    | W2.1x9.5d |     | ⊙   |         |
|                                                                                     | 7507DC   | PY21W | 12   | 21   | BAU15s    |     | ⊙   |         |

## Motorcycle Series

| Product                                                                                        | Type | Range | Volt | Watt  | Base | ECE | DOT | INMETRO |
|------------------------------------------------------------------------------------------------|------|-------|------|-------|------|-----|-----|---------|
| <b>R2</b><br> | R2   | CLEAR | 12   | 45/40 | P45t | ⊙   |     | ⊙       |
|                                                                                                | R2   | CLEAR | 24   | 55/50 | P45t | ⊙   |     | ⊙       |

| Product                                                                                           | Type | Range | Volt | Watt  | Base  | ECE | DOT | INMETRO |
|---------------------------------------------------------------------------------------------------|------|-------|------|-------|-------|-----|-----|---------|
| <b>S1/S2</b><br> | S1   | CLEAR | 12   | 25/25 | BA20d | ⊙   |     |         |
|                                                                                                   | S2   | CLEAR | 12   | 35/35 | BA20d | ⊙   |     |         |
|                                                                                                   | S1   | CLEAR | 6    | 25/25 | BA20d | ⊙   |     |         |
|                                                                                                   | S2   | CLEAR | 6    | 35/35 | BA20d | ⊙   |     |         |



CENTER ELECTRONIC CORP

# CONTACT US

📍 7F-2, 130 Po-Ai Road, Taipei City, Taiwan

✉ [info@centerelectronic.com](mailto:info@centerelectronic.com)

☎ +886-223882520

📞 +886-929928628

🌐 [www.centerelectronic.com](http://www.centerelectronic.com)